| 1 | P.U. 13(2005) |
|----------|--|
| 2 | |
| 3 | |
| 4 | |
| 5 | IN THE MATTER OF the |
| 6 7 | Public Utilities Act, |
| 8 | R.S.N. 1990, c. P-47, as amended |
| 9 | ("the <i>Act</i> ") |
| 10 | |
| 11 | AND |
| 12 | |
| 13 | IN THE MATTER OF the application by |
| 14 | Newfoundland Power Inc. ("NP") |
| 15 | for approval of the balance of the weather normalization reserve as of December 31, 2004 |
| 16 17 | pursuant to Sections 69(3) and 78 of the Act. |
| 18 | pursuant to sections 07(5) and 78 of the Act. |
| 19 | |
| 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | WHEREAS NP is a corporation duly organized and existing under the laws of the Province of |
| 25 | Newfoundland and Labrador, is a public utility within the meaning of the Act, and is also subject to |
| 26 | the provisions of the Electrical Power Control Act, 1994; and |
| 27 | |
| 28 | WHEREAS by Order No. 1 (1974) the Board ordered NP to provide a reserve out of its revenue to |
| 29 | normalize for the average degree days and to combine the balance in this reserve with the balance in |
| 30 | the Hydro Production Equalization Reserve established pursuant to Order No. 32 (1968); and |

WHEREAS by Order No. P.U. 19 (2003) the Board ordered NP to amortize the recovery of \$5,600,000 of the balance in the Hydro Production Equalization Reserve over a five year period beginning in 2003; and

1

| 2 | WHEREAS the Board, by previous Orders, approved NP's weather normalization reserves up to |
|----|---|
| 3 | and including December 31, 2003, at which time there was a Negative Balance in the reserve of |
| 4 | \$10,434,575; and |
| 5 | |
| 6 | WHEREAS NP has reported to the Board that its combined weather normalization reserve as at |
| 7 | December 31, 2004 is a Negative Balance of \$10,477,386; and |
| 8 | |
| 9 | WHEREAS the Board is satisfied from the Application and Affidavit that the reserve at December |
| 10 | 31, 2004 properly reflects the effect that degree days and hydro equalization have had on the |
| 11 | operation of NP from January 1, 2004 to December 31, 2004, and the Board's approval of the |
| 12 | amortization of the recovery of \$5,600,000 of the balance in the Hydro Production Equalization |
| 13 | Reserve over five years beginning in 2003. |
| 14 | |
| 15 | IT IS THEREFORE ORDERED THAT: |
| 16 | |
| 17 | 1. NP's weather normalization reserve of a Negative Balance of \$10,477,386 as at December |
| 18 | 31, 2004 is hereby approved. |

DATED at St. John's, Newfoundland and Labrador, this 28th day of April 2005.

Robert Noseworthy, Chair and Chief Executive Officer.

Darlene Whalen, P.Eng., Vice-Chair.

G. Cheryl Blundon, Board Secretary.