

Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed May 26, 2014





* Purchases include Nalcor Exploits, Star Lake, Rattle Brook, CBPP Co-Gen, Wind Generation and DLP Secondary

Supply Notes for May 23, 2014

- As of 0422 hours, Feb. 17, 2014, Bay d'Espoir Unit 6 (77 MW) unavailable for service.
- → As of 1717 hours, April 10, 2014, Holyrood Unit 3 removed from service for annual maintenance (150 MW).
- As of 1642 hours, May 13, 2014, Bay d'Espoir Unit 1 removed from service for annual maintenance (76.5 MW).
- → As of 0800 hours, May 21, 2014, Holyrood Unit 2 removed from service for annual maintenance (165 MW).

Section 2 **NLH System Island Interconnected Supply and Demand** Temperature **NLH System Demand** NLH System Outlook³ May 24, 2014 (°C) (MW) Five-Day Forecast Evening Morning Evening Morning Available NLH System Supply:4 Saturday, May 24, 2014 1,170 MW 10 750 775 °C Current St. John's Temperature: 8 Sunday, May 25, 2014 850 775 °C Monday, May 26, 2014 825 850 Current St. John's Windchill: N/A Tuesday, May 27, 2014 825 800 NLH System Peak Demand Forecast: 775 MW Wednesday, May 28, 2014 850 800

Supply Notes for May 24, 2014³

 \rightarrow

- Notes: 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
 - 2. Due to the Island Interconnected System being isolated from the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as underfrequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Underfrequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
 - 3. As of 0800 Hours.
 - 4. Gross output including station service at Holyrood (24.5 MW) and improved hydraulic output due to water levels (35 MW). Includes Nalcor Exploits, Star Lake, Rattle Brook, CBPP Co-Gen. Excludes wind generation and DLP Secondary.

Section 3 Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak			
May 23, 2014	Actual NLH System Island Interconnected Peak Demand ¹	08:55	763 MW
May 24, 2014	Forecast NLH System Island Interconnected Peak Demand		775 MW
May 23, 2014	Actual Total Island Peak Demand ²	08:50	932 MW
May 24, 2014	Forecast Total Island Peak Demand		925 MW

Notes: 1. NLH System Island Interconnected is supplied by generation owned by NLH as well as NLH Power Purchases as detailed in Section 1 above.

2. Total Island System Demand is supplied by NLH generation and NLH Power Purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper to meet their respective supply needs.