

## Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, February 13, 2017





Supply Notes For February 11, 2017

A As of 1556 hours, January 20, 2017, Holyrood Unit 2 available at 150 MW (170 MW).

As of 1425 hours, February 06, 2017, Hardwoods Gas Turbine unavailable (50 MW).

1,2

- As of 2006 hours, February 06, 2017, Holyrood Unit 1 available at 150 MW (170 MW).
- **D** As of 1513 hours, February 09, 2017, Stephenville Gas Turbine available at 38 MW (50 MW).
- At 1755 hours, February 11, 2017, Holyrood Combustion Turbine unavailable (123.5 MW)

## Section 2 **Island Interconnected Supply and Demand** Temperature Island System Outlook<sup>3</sup> Sun, Feb 12, 2017 (°C) Island System Daily Peak Demand (MW) **Seven-Day Forecast** Adjusted<sup>7</sup> Morning **Evening Forecast** Available Island System Supply:5 1,770 MW Sunday, February 12, 2017 -8 1,570 1,461 NLH Generation:<sup>4</sup> Monday, February 13, 2017 -7 -4 1,465 MW 1,595 1,485 NLH Power Purchases:<sup>6</sup> Tuesday, February 14, 2017 -2 -1 1,515 1,406 115 MW Other Island Generation: 190 Wednesday, February 15, 2017 -1 -1 1,445 1,337 MW Current St. John's Temperature: -9 $^{\circ}$ C Thursday, February 16, 2017 -1 -2 1,390 1,283 Current St. John's Windchill: -12 $^{\circ}$ C Friday, February 17, 2017 0 -1 1,199 1,305 7-Day Island Peak Demand Forecast: 1,595 MW Saturday, February 18, 2017 -2 -3 1,345 1,238

Supply Notes For February 12, 2017

Notes:

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island Interconnected System being isolated from the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Vale capacity assistance (when applicable), and Wind Generation.
- 7. Adjusted for CBP&P, Praxair and Vale interruptible load as well as the impact of voltage reduction, when applicable.

## Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak Sat, Feb 11, 2017 Actual Island Peak Demand<sup>8</sup> 18:10 1,512 MW Sun, Feb 12, 2017 Forecast Island Peak Demand 1,570 MW

Notes: 8. Island Demand is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).