
## Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Tuesday, January 02, 2018



Island Interconnected System Demand

## Supply Notes For January 01, 2018

- As of 1610 hours, December 19, 2017, Holyrood Unit 2 available at 160 MW (170 MW).
- As of 1052 hours, December 28, 2017, Stephenville Gas Turbine available at 25 (50 MW).
- C As of 1652 hours, December 29, 2017, Hardwoods Gas Turbine available at 25 MW (50 MW).

——Island Interconnected System Supply

- As of 2319 hours, December 29, 2017, Holyrood Unit 1 available at 150 MW (170 MW).
- E As of 1609 hours, December 31, 2017, Holyrood Unit 3 available at 130 MW (150 MW).

## Section 2 **Island Interconnected Supply and Demand Temperature Island System Daily Peak Demand** Island System Outlook<sup>3</sup> Tue, Jan 02, 2018 (°C) Seven-Day Forecast (MW) Adjusted<sup>7</sup> Morning **Evening Forecast** Tuesday, January 02, 2018 1,560 Available Island System Supply:5 1,895 MW 1,451 NLH Generation:4 -5 -5 1,595 Wednesday, January 03, 2018 1,555 1,446 MW NLH Power Purchases:<sup>6</sup> Thursday, January 04, 2018 -8 -1 100 MW 1,540 1,431 Other Island Generation: Friday, January 05, 2018 7 3 1,335 1,228 200 MW °C Saturday, January 06, 2018 Current St. John's Temperature: -3 -5 1 1,500 1,391 °C Current St. John's Windchill: -11 Sunday, January 07, 2018 -6 -9 1,625 1,515 Monday, January 08, 2018 7-Day Island Peak Demand Forecast: 1,625 MW -5 1,545 1,436

## Supply Notes For January 02, 2018

Notes:

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island Interconnected System being isolated from the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
- 3. As of 0800 Hour
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance and Maritime Link Import (when applicable).
- Adjusted for CBP&P and Vale and Praxair interruptible load, the impact of voltage reduction and Maritime Link Exports (when applicable).

Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak			
Mon, Jan 01, 2018	Actual Island Peak Demand <sup>8</sup>	16:55	1,416 MW
Tue, Jan 02, 2018	Forecast Island Peak Demand		1,560 MW

Notes: 8. Island Demand is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).