
Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Monday, January 08, 2018 (Revised - January 12, 2018)



D At 1313 hours, January 06, 2018, Holyrood Unit 1 available at 150 MW (170 MW).

At 1501 hours, January 06, 2018, Hardwoods Gas Turbine available at full capacity (50 MW)

			Section 2				
		Isla	nd Interconnected Supply and De	mand			
Sun, Jan 07, 2018 Island S	ystem Outl	ook <sup>3</sup>	Seven-Day Forecast		erature C)	Island System Dail (MW	-
				Morning	Evening	Forecast	Adjusted <sup>7</sup>
Available Island System Supply: <sup>5</sup>	1,935	MW	Sunday, January 07, 2018	-7	-8	1,635	1,525
NLH Generation: <sup>4</sup>	1,615	MW	Monday, January 08, 2018	-7	-7	1,625	1,515
NLH Power Purchases: <sup>6</sup>	125	MW	Tuesday, January 09, 2018	-7	0	1,560	1,451
Other Island Generation:	195	MW	Wednesday, January 10, 2018	-4	-8	1,630	1,520
Current St. John's Temperature:	-8	°C	Thursday, January 11, 2018	-9	-5	1,605	1,495
Current St. John's Windchill:	-18	°C	Friday, January 12, 2018	2	5	1,345	1,238
7-Day Island Peak Demand Forecast:	1,635	MW	Saturday, January 13, 2018	10	-1	1,420	1,312

Notes:	1. 2.	Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted. Due to the Island Interconnected System being isolated from the larger North American grid, when there is a sudden loss of large generating units some customer's load
		must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
	3.	As of 0800 Hours.
	4.	Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
	5.	Gross output from all Island sources (including Note 4).
	6.	NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance and Maritime Link Import (when applicable).
	7.	Adjusted for CBP&P and Vale and Praxair interruptible load, the impact of voltage reduction and Maritime Link Exports (when applicable).

	Sectior Island Peak Deman Previous Day Actual Peak and O	d Information	
Sat, Jan 06, 2018	Actual Island Peak Demand <sup>8</sup>	17:25	1,501 MW
Sun, Jan 07, 2018	Forecast Island Peak Demand		1,635 MW