

Newfoundland Labrador Hydro (NLH)

Supply and Demand Status Report Filed Thursday, January 11, 2018 (Revised - January 12, 2018)





Supply Notes For January 10, 2018

1,2

- As of 1609 hours, December 31, 2017, Holyrood Unit 3 available at 130 MW (150 MW).
- As of 0739 hours, January 03, 2018, Holyrood Unit 2 available at 154 MW (170 MW).
 - As of 2115 hours, January 04, 2018, Stephenville Gas Turbine available at 25 MW (50 MW).
- As of 0815 hours, January 08, 2018, Holyrood Unit 1 available at 148 MW (170 MW).
- At 1655 hours, January 09, 2018, Hardwoods Gas Turbine unavailable (50 MW).
- At 1750 hours, January 09, 2018, Hardwoods Gas Turbine available (50 MW).

Section 2 Island Interconnected Supply and Demand

Thu, Jan 11, 2018 Island System Outlook ³		Seven-Day Forecast	Tempe (°	rature C)	Island System Daily Peak Demand (MW)		
				Morning	Evening	Forecast	Adjusted ⁷
Available Island System Supply: ⁵	1,910	MW	Thursday, January 11, 2018	-9	0	1,610	1,500
NLH Generation: ⁴	1,610	MW	Friday, January 12, 2018	4	6	1,340	1,233
NLH Power Purchases: ⁶	95	MW	Saturday, January 13, 2018	8	9	1,270	1,164
Other Island Generation:	205	MW	Sunday, January 14, 2018	7	4	1,350	1,243
Current St. John's Temperature:	-10	°C	Monday, January 15, 2018	-5	-4	1,530	1,421
Current St. John's Windchill:	-20	°C	Tuesday, January 16, 2018	-2	5	1,510	1,401
7-Day Island Peak Demand Forecast:	1,610	MW	Wednesday, January 17, 2018	-2	-1	1,490	1,382

Supply Notes For January 11, 2018

Notes:

- 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- 2. Due to the Island Interconnected System being isolated from the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding, is necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes.
- 3. As of 0800 Hours
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance and Maritime Link Import (when applicable).
- 7. Adjusted for CBP&P and Vale and Praxair interruptible load, the impact of voltage reduction and Maritime Link Exports (when applicable).

Section 3 Island Peak Demand Information

Previous Day Actual Peak and Current Day Forecast Peak						
Wed, Jan 10, 2018	Actual Island Peak Demand ⁸	17:45	1,591 MW			
Thu Jan 11 2018	Forecast Island Peak Demand		1.610 MW			

Notes: 8. Island Demand is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).