Q. Reference: Application

What is the overall improvement in productivity stemming from the projects included in the 2022 Capital Budget Application? Please identify the expected cost savings and provide an estimate of the impact on rates.

A. As outlined in Newfoundland and Labrador Hydro's ("Hydro") 2022 Capital Budget Overview, approximately 8% (\$6.9 million) of the investments proposed fall into the Service Enhancement investment classification. The primary focus of these investments is to ensure the safe, reliable, least-cost provision of service to customers. Gains in productivity would be considered a secondary benefit in most cases.

Hydro does not derive an overall productivity metric for its investments, but rather justifies each project on its own merit as per the requirements of the Capital Budget Application Guidelines.² However, Hydro pursues capital work in a manner that avails of opportunities for efficiencies to achieve value and savings for its customers. For example:

- Where possible, Hydro proposes capital investments in a manner that supports the expeditious and/or efficient execution of work and optimization of its assets, thus improving productivity. Examples include the in-service failures projects (e.g., hydraulic generation) which permit Hydro to act immediately upon failure to ensure an efficient and timely return to service of the assets and the Provide Service Extensions project which permits Hydro to respond to customer requests for service hookups in a timely and efficient manner.
- Additionally, some of Hydro's capital projects support its ability to efficiently manage its resources to optimize the life of its assets. For example, Hydro's Wood Pole Line

¹ "2022 Capital Budget Application," Newfoundland and Labrador Hydro, rev. September 17, 2021 (originally filed August 2, 2021, vol. I, sch. 1, at p. 7.

² "Capital Budget Application Guidelines," Board of Commissioners of Public Utilities, rev. October 2007 (originally issued June 2, 2005).

- Hydro strives to achieve productivity gains through the coordination of capital work in line with outages and other related work which may be occurring. An example of such an approach is the cancellation of the Bay d'Espoir intake gate and surge tank refurbishments earlier in 2021 as the schedule had changed materially from that originally anticipated.³ Hydro advised of its intention to conduct an evaluation of the logistical benefits in combining this work with the outages required for the upcoming penstock refurbishment work.
- Appropriate integration of modern technology into asset replacement strategies presents opportunities for conversion from manual to automated processes, which increase productivity and efficiency. One such example in the 2022 Capital Budget Application is the Replace Metering System project.⁴ While the main driver for this project is the replacement of obsolescent equipment to ensure reliable service, installing a system with technological advancements reduces the need for manual meter readings and data entry. Savings will be realized not only in these areas but also in the administrative effort required to manage customer interactions related to estimated readings and data entry errors which result in incorrect bills and re-billings.
- Finally, the nature of some of Hydro's projects may result in increased efficiency and productivity that contribute to savings in operating costs, such as the LED⁵ Street Light Program, and the Replace Metering System project.

With respect to rate impacts, Hydro does not compute rate impact on an individual project basis. Hydro's *pro forma* computation of revenue requirement impact on a total capital budget basis was included in its 2022 Capital Budget Overview.

4 5

6 7

8

9

10

11

12 13

1415

16

17

18

19

2021

22

23

2425

³ "Cancellation of Previously Approved Capital Projects at Bay d'Espoir," Newfoundland and Labrador Hydro, February 26, 2021.

⁴ "2022 Capital Budget Application," Newfoundland and Labrador Hydro, rev. September 17, 2021 (originally filed August 2, 2021, vol. II, sch. 8, tab 15.

⁵ Light-emitting diode ("LED").