

Newfoundland and Labrador Hydro Hydro Place. 500 Columbus Drive P.O. Box 12400. St. John's. NL Canada A1B 4K7 t. 709.737.1400 I f. 709.737.1800 nlhydro.com

October 17, 2022

Board of Commissioners of Public Utilities Prince Charles Building 120 Torbay Road, P.O. Box 21040 St. John's, NL A1A 5B2

Attention: Cheryl Blundon Director of Corporate Services & Board Secretary

Re: Allowance for Unforeseen Capital Expenditures Monthly Reporting

Further to the Board of Commissioners of Public Utilities' letters of May 24, 2013 and January 29, 2015, enclosed please find Newfoundland and Labrador Hydro's expenditures report setting out all capital expenditures made in relation to the Allowance for Unforeseen Items to the end of September 2022.

Should you have any questions, please contact the undersigned.

Yours truly,

NEWFOUNDLAND AND LABRADOR HYDRO

Shirley A. Walsh Senior Legal Counsel, Regulatory SAW/sk

Encl.

ecc:

Board of Commissioners of Public Utilities Jacqui H. Glynn PUB Official Email

Newfoundland and Labrador Hydro Allowance for Unforeseen Expenditures For the Period January 1 to December 31, 2022

		Supplementary Amount for Allowance for			
	TL219 & TL203 ¹	Unforeseen ²	Total	Balance	
	(\$)	(\$)	(\$)	(\$)	Comments
Approved Allowance				1,000,000	See Board Order No. P.U. 37(2021)
Expenditures					
January	-	-	-	1,000,000	
February	(408,848)	-	(408,848)	591,152	
March	17,519	-	17,519	608,671	
April	(10,814)	402,143	391,329	1,000,000	See Board Order No. P.U. 9(2022)
May	-	-	-	1,000,000	
June	-	-	-	1,000,000	
July	-	-	-	1,000,000	
August	-	-	-	1,000,000	
September	-	-	-	1,000,000	
October	-	-	-	1,000,000	
November	-	-	-	1,000,000	
December	-	-	-	1,000,000	
Total	(402,143)	402,143	-	1,000,000	

¹On February 8, 2022, Newfoundland and Labrador Hydro ("Hydro") notified the Board of Commissioners of Public Utilities ("Board") that it would be utilizing the Allowance for Unforeseen Items Account to complete capital work on transmission lines TL219 and TL203 in response to storm damages. The final report was submitted on March 10, 2022, noting costs of approximately \$409,000 associated with this project. The balance of \$0.4 million reflects actuals.

² On March 16, 2022, Hydro filed an application with the Board requesting approval of a supplementary amount of \$408,848 to the Allowance for Unforeseen Items Account. In Board Order No. P.U. 9(2022), the Board directed that the 2022 Allowance for Unforeseen Items Account be reset to \$1.0 million effective April 6, 2022. Actual costs reported as of April 30, 2022, were incurred prior to April 6, 2022.

Newfoundland and Labrador Hydro Allowance for Unforeseen Expenditures - Board Order No. P.U. 34(2021) For the Period January 1 to December 31, 2022

	Holyrood T2			
	Replacement ¹	Total ²	Balance	
	(\$)	(\$)	(\$)	Comments
Approved Allowance			N/A ²	
Expenditures				
January	(220,768)	(220,768)	(220,768)	
February	(180,750)	(180,750)	(401,518)	
March	8,277	8,277	(393,241)	
April	(748)	(748)	(393,989)	
May	(4,737)	(4,737)	(398,726)	
June	-	-	(398,726)	
July	-	-	(398,726)	
August	-	-	(398,726)	
September	-	-	(398,726)	
October	-	-	(398,726)	
November	-	-	(398,726)	
December	-	-	(398,726)	
Total	(398,726)	(398,726)	(398,726)	

¹On November 19, 2021, Hydro notified the Board that it would be utilizing the Allowance for Unforeseen Items Account to complete capital work at Holyrood Thermal Generating Station ("Holyrood TGS") in response to failure of Unit 2 transformer ("T2"). On November 24, 2021, Hydro filed additional correspondence advising the Board of early cost estimates and schedule in relation to the work. The final report was filed with the Board on February 8, 2022, which estimated a total project spend of \$1.9 million which is comprised of \$1.7 million in 2021 and \$0.2 million in 2022. The balance of \$0.4 million reflects actuals in 2022.

² On November 24, 2021, Hydro made application to the Board for approval to continue recording in the Allowance for Unforeseen Items Account the variance associated with the expenditures related to the failure of Unit 3 boiler tubes at the Holyrood TGS and the replacement of T2 at the Holyrood TGS, with an application to follow in early 2022 for the inclusion of this variance in rate base. In Board Order No. P.U. 34(2021), the Board advised that it would address the appropriateness of the use of the Allowance for Unforeseen Items Account for these expenditures following the final reports related to each event, and the inclusion in rate base should be addressed in the 2021 Rate Base Application.